Owner: Resort Municipality of Whistler

(NAME OF OWNER)

Contract: RMOW 2024 Road and Trail Reconstruction

(TITLE OF CONTRACT)

Reference No. T00102

(OWNER'S CONTRACT REFERENCE NO.)

To All Tenderers:

Date: May 21st, 2024 This addendum shall form part of the original documents for the above noted contract and all other segments of the contract shall remain in force except as noted below:

### 1. - Contract Drawings

### **DELETE:**

General Trail Detail - TRAIL TYPE I on contract dwg. 05 of 05

### REPLACE WITH:

RMOW Valley Trail Standard (Addendum #1, Attachment #1).

#### **DELETE:**

T3.0 - Whistler Cay Dr. - Lorimer Rd. on contract dwg. 04 of 05

### REPLACE WITH:

T3.0 - Whistler Way on (Addendum #1, Attachment #2).

### 2. - Form of Tender

# DELETE: Form of Tender - Appendix 1 Page 4 to 8 of 12 inclusive REPLACE WITH: Form of Tender - Appendix 1 Page 4 to 8 of 12 inclusive

Updated Form of Tender - Appendix 1 Page 4 to 8 of 12 inclusive (Addendum #1, Attachment #3) Updated T3.0 Location (Addendum #1, Attachment #2)


All tenderers shall acknowledge receipt of Addendum #1 (One (1) page) and the following Attachments:

- Attachment #1 RMOW VALLEY TRAIL STANDARD
- Attachment #2 Updated T3.0
- Attachment #3 Appendix 1 Page 4 to 8 of 12 inclusive

by signing in the space provided and submitting this signed addendum including attachments with the tender. Tenders submitted without acknowledgment of this addendum may be considered incomplete.


**END ADDENDUM #1** 

greed day of	, 2024
Signature	
	<u> </u>



NOTE: BOULDERS TO SHORE UP EDGES AND TO REDUCE CUT AND MILL SCARS ON STEEP CROSS SLOPES NOT TO BE USED ON NORDIC TRAILS.


### **GRAVEL TRAIL**



2% CROSS OR CROWN SLOPE FOR DRAINAGE.

NOTE: BOULDERS MAY BE USED TO SHORE STEEP EDGES ALONG WALKWAYS.

# PEDESTRIAN WALKWAY



- NOTES:
- SHOULDER & SWALE CLEARED TO MIN. 1600mm FOR NORDIC (MACHINE SET X-COUNTRY) TRAILS.
- ON STEEP CUT BANKS (50-66%) ON NORDIC TRAILS, STRAW & NETTING APPLIED TO STABILIZE SLOPE UNTIL SED & PLANTING TAKE OVER.
- 3. SWALE MIN. LONGITUDINAL SLOPE 1%.

**VALLEY TRAIL** 



# RESORT MUNICIPALITY of WHISTLER VALLEY TRAIL STANDARD

DRAWN BY: BL	DATE: APRIL 2014
SCALE: N.T.S.	DWG. NO.: R7

# Addendum #1, Attachment #2



# Form of Tender - Appendix 1

Contract No: T00102

# SCHEDULE OF QUANTITIES AND PRICES - SUMMARY (See pararaph 5.3.1 of the Instructions to Tender - Part II)

(All prices *Quotations* including the *Contract Price* shall include all *Taxes*, but shall not include GST. GST shall be shown separately.)

'S' Payment item in Supplementary Specifications

ITEM	DESCRIPTION	AMOUNT
1.0	Lorimer Westbound (Blackcomb Way to Lot 6)	
2.0	Whistler Way - Springs Lane to Mountain Lane	
3.0	Spring Creek - Spring Creek Drive to Kyber Lane	
4.0	Alta Lake Road North	
T 1.0	Valley Trail - Meadow Park Sports Centre (35m)	
T 2.0	Valley Trail - Bridge Meadows (37m)	
T 3.0	Whistler Way (75m)	
OP 1.0	Hand Laid Asphalt (OPTIONAL)	
OP 2.0	Pavement Sealing (OPTIONAL)	
	TENDER SUBTOTAL	
	GST (5%)	
	TENDER PRICE plus GST	

Tenderer's Initials\_\_\_\_\_

### 1.0 Lorimer Westbound (Blackcomb Way to Lot 6)

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED				
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	4400		
		MMCD 32 11 23 - GRANULAR BASE	•		•	
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compaction (Optional)	Tonne	730		
		MMCD 32 01 16.7 - COLD MILLING				
	<b>32 01 16.7S</b> 1.5.1.3	Full Depth Milling	Square Metre	4400		
		MMCD 32 12 13.1 - ASPHALT TACK COAT	-			
	<b>32 12 13.1</b> 1.5.1	Asphalt Tack Coat	Square Metre	4400		
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Machine Laid MMCD Lower Course #1 - 50mm Thickness	Tonne	540		
	32 12 16S	Machine Laid MMCD Upper Course #1 - 50mm Thickness	Tonne	540		
	ļ.					

# 2.0 Whistler Way - Springs Lane to Mountain Lane

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED				
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	900		
		MMCD 32 11 23 - GRANULAR BASE	•		•	
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compaction (Optional)	Tonne	150		
		MMCD 32 01 16.7 - COLD MILLING				
	<b>32 01 16.7S</b> 1.5.1.3	Full Depth Milling	Square Metre	900		
		MMCD 32 12 13.1 - ASPHALT TACK COAT				
	<b>32 12 13.1</b> 1.5.1	Asphalt Tack Coat	Square Metre	900		
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Machine Laid MMCD Lower Course #1 - 50mm Thickness	Tonne	120		
	32 12 16S	Machine Laid MMCD Upper Course #1 - 50mm Thickness	Tonne	120		
	•				,	

3.0 Spring Creek - Spring Creek Drive to Kyber Lane

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED				
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	6000		
		MMCD 32 11 23 - GRANULAR BASE	•			
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compaction ( <b>Optional</b> )	Tonne	990		
	MMCD 32 01 16.7 - COLD MILLING					
	<b>32 01 16.7S</b> 1.5.1.3	Full Depth Milling	Square Metre	6000		
		MMCD 32 12 13.1 - ASPHALT TACK COAT				
	<b>32 12 13.1</b> 1.5.1	Asphalt Tack Coat	Square Metre	6000		
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Machine Laid MMCD Lower Course #1 - 50mm Thickness	Tonne	740		
	32 12 16S	Machine Laid MMCD Upper Course #1 - 50mm Thickness	Tonne	740		

# 4.0 Alta Lake Road North

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT			
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED	MCD 31 22 16 - RESHAPING GRANULAR ROADBED						
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	400					
		MMCD 32 11 23 - GRANULAR BASE							
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compaction (Optional)	Tonne	70					
		MMCD 32 01 16.7 - COLD MILLING	•		•				
	<b>32 01 16.7S</b> 1.5.1.3	Full Depth Milling	Square Metre	400					
		MMCD 32 12 13.1 - ASPHALT TACK COAT							
	<b>32 12 13.1</b> 1.5.1	Asphalt Tack Coat	Square Metre	400					
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING			•				
	32 12 16S	Machine Laid MMCD Lower Course #1 - 50mm Thickness	Tonne	50					
	32 12 16S	Machine Laid MMCD Upper Course #1 - 50mm Thickness	Tonne	50					

T 1.0 Valley Trail - Meadow Park Sports Centre (35m)

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED				
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	105		
		MMCD 31 24 13 - ROADWAY EXCAVATION, EMBANKMENT AND	COMPACTION			
	<b>31 24 13S</b> 1.8.5.6S	Asphalt Removal	Square Metre	105		
	<b>31 24 13</b> 1.8.14S	Over Excavation c/w offsite disposal, backfilling, and compaction (Optional)	Cubic m.	12		
		MMCD 32 11 23 - GRANULAR BASE				
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compation (Optional)	Tonne	7		
	<b>32 11 23S</b> 1.4.5S	19mm minus crused granite shouldering - 0.6m width x 75mm thickness includes placement, grading and compaction	Tonne	8.5		
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Machine Laid MMCD Upper Course #1 - 75mm Thickness	Tonne	23.5		
	TENDER PRICE (to be carried forward to the summary sheet)					

T 2.0 Valley Trail - Bridge Meadows (37m)

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED				
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	111		
		MMCD 31 24 13 - ROADWAY EXCAVATION, EMBANKMENT AND	COMPACTION	l		
	<b>31 24 13S</b> 1.8.5.6S	Asphalt Removal	Square Metre	111		
	<b>31 24 13</b> 1.8.14S	Over Excavation c/w offiste disposal, backfilling, and compaction (Optional)	Cubic m.	10		
		MMCD 32 11 23 - GRANULAR BASE	•	•	•	
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compation (Optional)	Tonne	6.5		
	<b>32 11 23S</b> 1.4.5S	19mm minus crused granite shouldering - 0.6m width x 75mm thickness includes placement, grading and compaction	Tonne	7.5		
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Machine Laid MMCD Upper Course #1 - 75mm Thickness	Tonne	20.5		
	•	TENDER PRICE (to be carried forward to t	the summary sh	eet)		-

T 3.0 Whistler Way (75m)

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 31 22 16 - RESHAPING GRANULAR ROADBED				
	<b>31 22 16S</b> 1.4.1S	Reshaping	Square Metre	225		
		MMCD 31 24 13 - ROADWAY EXCAVATION, EMBANKMENT AND	COMPACTION			
	<b>31 24 13S</b> 1.8.5.6S	Asphalt Removal	Square Metre	225		
		Over Excavation c/w offiste disposal, backfilling, and compaction (Optional)	Cubic m.	21		
		MMCD 32 11 23 - GRANULAR BASE				
	<b>32 11 23</b> 1.4.1	19mm minus Granular Base - variable thickness includes placement, grading and compation <b>(Optional)</b>	Tonne	15		
	<b>32 11 23S</b> 1.4.5S	19mm minus crused granite shouldering - 0.6m width x 75mm thickness includes placement, grading and compaction	Tonne	15		
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Machine Laid MMCD Upper Course #1 - 75mm Thickness	Tonne	45		
	TENDER PRICE (to be carried forward to the summary sheet)					

Tenderer's Initials		

# OP 1.0 Hand Laid Asphalt (OPTIONAL)

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
		MMCD 32 12 16 - HOT-MIX ASPHALT CONCRETE PAVING				
	32 12 16S	Hand Laid Single Lift Asphalt, 75mm thickness up to 1,000 m2	Tonne	100		
		-				

TENDER PRICE (to be carried forward to the summary sheet) .....

# OP 2.0 Pavement Sealing (OPTIONAL)

ITEM NO.	MMCD REF.	DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
MMCD 32 01 17.6 - Sealing Pavement Cracks for Maintenance Purposes						
	<b>32 01 17.6</b> 1.5.1	Sealing Pavement Cracks	Lin m.	2000		
TENDER PRICE (to be carried forward to the summary sheet)						